

1743



Please Direct All Correspondence to Customer Number 20995

AMENDMENT / RESPONSE TRANSMITTAL

Applicant : Niklas Bondestam et al.
 App. No : 10/066,169
 Filed : January 30, 2002
 For : ACTIVE PULSE MONITORING IN A
 CHEMICAL REACTOR
 Examiner : Arlen Soderquist
 Art Unit : 1743

CERTIFICATE OF MAILING

I hereby certify that this correspondence and all marked attachments are being deposited with the United States Postal Service as first-class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on

October 27, 2005

(Date)

Rabinder N. Narula, Reg. No. 53,371

Mail Stop Amendment

Commissioner for Patents
 P.O. Box 1450
 Alexandria, VA 22313-1450

Sir:

Transmitted herewith for filing in the above-identified application are the following enclosures:

(X) Amendment in 12 pages.


The fee has been calculated as shown below:

FEE CALCULATION				
FEE TYPE		FEE CODE	CALCULATION	TOTAL
Excess Claims	42 - 43 = 0	1202 (\$50)	0 x 50 =	\$0
Excess Independent	4 - 4 = 0	1201 (\$200)	0 x 200 =	\$0
TOTAL FEE DUE				\$0

(X) Return prepaid postcard.

(X) Please charge any additional fees, including any fees for additional extension of time, or credit overpayment to Deposit Account No. 11-1410.

Rabinder N. Narula
 Registration No. 53,371
 Attorney of Record
 Customer No. 20,995
 (949) 760-0404



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Niklas Bondestam et al.) Group Art Unit 1743
Appl. No. : 10/066,169)
Filed : January 30, 2002)
For : ACTIVE PULSE)
MONITORING IN A)
CHEMICAL REACTOR)
Examiner : Arlen Soderquist)

AMENDMENT

United States Patent and Trademark Office
P.O. Box 2327
Arlington, VA 22202

Dear Sir:

In response to the Office Action mailed July 27, 2005, Applicant respectfully submits the following amendments and comments in connection with the above-captioned application.

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

Remarks/Arguments begin on page 9 of this paper.